eBRFSS 2013-2014 Health Indicators: Suffolk

General Description	
Improve Health Status and Reduce Health Disparities	
Percentage of adults who did not receive medical care because of cost	3
Percentage of adults who have a regular health care provider	4
Percentage of adults who had a dentist visit within the past year	5
Percentage of adults living with a disability	θ
Percentage of adults aged 18-64 years with healthcare coverage	
Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year	8
Percentage of adults experiencing housing insecurity in the past 12 months	
Percentage of adults experiencing food insecurity in the past 12 months	
Percentage of adults with poor self-reported health	
Percentage of adults who report 14 or more days of poor physical health	
Prevent Chronic Diseases	
Percentage of adults who are obese	
Percentage of adults with an annual household income less than \$25,000 who are obese	
Percentage of adults living with a disability who are obese	
Percentage of adults overweight or obese	
Percentage of adults who participated in leisure time physical activity in the past 30 days	
Percentage of adults who consume one or more sugary drinks daily	
Percentage of adults who consume fast-food three or more times per week	
Percentage of adults with physician diagnosed diabetes	
Percentage of adults who are current smokers	
Percentage of adults with annual household income less than \$25,000 who are current smokers	
Percentage of adults aged 18-24 years who are current smokers	
Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines	
Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening	
guidelinesguidelines	
Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines	
Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screen	
guidelinesguidelines	-
· ·	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening	28 g based on recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines	g based on recent
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 g based on recent 29 30
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	28 g based on recent 29 30 31 32 32 32 32
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked	28 g based on recent 29 30 31 32 33 34 35 35
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol	28 g based on recent 29 30 31 32 33 35 36 36 36 36 36 36 36 36 36 36 36 36 36
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition	28 g based on recent 29 30 31 32 33 34 35 36 36 37 36 37
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition.	28 g based on recent 29 30 31 32 33 36 36 37 38
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis.	28 g based on recent 29 30 31 32 35 36 36 37 38 38 39 39
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity.	28 g based on recent 29 30 31 32 35 36 35 35 35 35 35 35 35 35 35 35 35 35 35
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months	28 g based on recent 29 30 31 32 33 36 36 36 36 36 36 36 36 36 36 36 36
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury.	28 g based on recent 29 30 31 32 33 34 35 36 36 36 36 36 36 36 36 36 36 36 36 36
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 g based on recent 29 30 31 32 33 34 35 36 36 36 36 36 36 36 36 36 36 36 36 36
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma	28 g based on recent 29 30 31 32 33 34 35 36 36 36 37 38 39 39 40 41 42 42
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 18+ years with flu immunization in the past year	28 g based on recent 29 30 31 32 33 34 35 36 36 36 37 38 39 39 40 41 42 42 43
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults with arthritis. Promote a Healthy and Safe Environment Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year.	28 g based on recent 29 30 31 32 33 34 35 36 36 37 36 38 39 39 30 40 42 42 42 42 43 44
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percent of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year.	28 g based on recent 29 30 31 32 33 34 35 36 36 37 40 42 42 42 45
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with current asthma. Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults with arthritis. Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year	28 g based on recent 29 30 31 32 33 34 35 36 36 37 40 42 42 45 46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults with cholesterol checked Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults with arthritis Promote a Healthy and Safe Environment. Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months Among adults aged 65+ years with at least one fall in the past 12 months Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Percentage of adults aged 65+ years with plu immunization in the past year Pe	28 g based on recent 29 30 31 32 33 34 35 36 37 38 39 40 41 42 42 42 44 45 46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28 g based on recent 29 30 31 32 33 34 35 36 37 38 39 40 41 42 42 43 44 46 46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with collesterol checked. Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of women aged 65+ years with pneumococcal immunization. Promote Healthy Women, Infants, and Children. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-64 years with had adental visit within the last year. Percentage of women aged 18-64 years with had adental visit within the last year.	28 g based on recent 29 30 31 32 33 34 35 36 37 38 39 40 41 42 42 42 45 46 46
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines Percentage of adults who had a test for high blood sugar or diabetes within the past three years Percentage of adults with physician-diagnosed prediabetes Percentage of adults with physician-diagnosed high blood pressure Percentage of adults with diagnosed high blood pressure taking high blood pressure medication Percentage of adults with current asthma Percentage of adults 18 years and older with elevated cholesterol Percentage of adults 18 years and older with elevated cholesterol Percentage of adults with arthritis Promote a Healthy and Safe Environment Percentage of adults who consider their neighborhood suitable for walking and physical activity Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury Preventage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV) Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with flu immunization in the past year Percentage of adults aged 65+ years with pneumococcal immunization Promote Healthy Women, Infants, and Children Percentage of women aged 18-64 years who had dental visit within the last year Percentage of women aged 18-64 years with health care coverage Percentage of women aged 18-64 years whose health care reporder discussed planning a healthy pregnancy	28 g based on recent 29 30 31 32 33 34 35 36 37 38 39 40 41 42 42 45 46 46 47
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults 18 years and older with elevated cholesterol. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who save taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 47-68 years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years whose health care coverage. Percentage of women aged 18-44 years whose health care provider discussed planning a healthy p	28 g based on recent 29 30 31 32 33 34 35 36 37 38 39 40 41 42 42 45 46 46 47
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines	28g based on recent 29g based on recent 30 31 32 33 34 35 36 37 38 39 40 41 42 42 45 46 46 47 48
Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines. Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening guidelines. Percentage of adults who had a test for high blood sugar or diabetes within the past three years. Percentage of adults with physician-diagnosed prediabetes. Percentage of adults with physician-diagnosed high blood pressure. Percentage of adults with diagnosed high blood pressure taking high blood pressure medication. Percentage of adults with cholesterol checked. Percentage of adults with cholesterol checked. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition. Percentage of adults who consider their neighborhood suitable for walking and physical activity. Percentage of adults aged 65+ years with at least one fall in the past 12 months. Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury. Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV). Percentage of adults aged 48+ years with flu immunization in the past year. Percentage of adults aged 65+ years with flu immunization in the past year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had dental visit within the last year. Percentage of women aged 18-44 years who had bental visit within the last year. Percentage of women aged 18-44 years who had bental visit within the last year. Percentage of women aged 18-44 years who had bental visit within the last year. Percentage of women aged 18-44 years who had bental visit within	28g based on recent 29g based on recent 30 31 32 33 34 35 36 37 38 39 40 41 42 42 42 45 46 46 47 48 49 50 50

General Description

The New York State Expanded Behavioral Risk Factor Surveillance System 2013-2014 (2014 eBRFSS) was design to supplement the Center for Disease Control and Prevention (CDC) Behavioral Risk Factor Surveillance System (BRFSS), which is conducted annually in New York State. The purpose of the 2014 eBRFSS was to produce local information on key public health issues. Data for the project were collected from April 15, 2013 to May 10, 2014. The 2014 eBRFSS reached both households with landline telephones and households which only had cell phones. Like the annual BRFSS, New York State's 2014 eBRFSS was designed to be representative of the non-institutionalized adult household population, aged 18 years and older.

Reported Health Indicators

There are a total of 50 health indicators included in the report. The health indicators include 10 measures included in the New York State Department of Health's Prevention Agenda, NYS Health Innovation Plan (SHIP), Delivery System Reform Incentive Payment (DSRIP) Program, or the NYS Community Health Indicator Reports (CHIRS). An additional 40 important health indicators are also included. The indicators are organized by the Priority Area of the Prevention Agenda and are reported statewide, by region, and by county.

Data Collection Methodology, Sampling and Weighting

The data collection methods for the 2014 eBRFSS aligned with the CDC's standard annual BRFSS methods. The 2014 eBRFSS questionnaire used standard questions from the BRFSS. Survey interviews were conducted in both English and Spanish. There were 31,690 completed interviews.

The sampling plan for the eBRFSS was developed to result in valid health indicator estimates for New York City (NYC) and each of the 57 counties outside NYC. The sampling approach stratified landlines by county and implemented a disproportionate stratified sampling design that accounted for both listed-households and unlisted numbers. Cell phone households were accounted for through additional strata that covered contiguous groups of counties.


Data were weighted to represent the population using a methodology known as iterative proportional fitting (raking). Raking adjusted the data so that groups underrepresented in the sample were more accurately represented in the estimated rates. Raking also enabled surveys conducted by cell phone to be included in the weighting and to accurately match sample distributions of specified demographic characteristics of the population. The raking categories included in the eBRFSS were: age, gender, race/ethnicity, education, marital status, owner/renter status, telephone usage (i.e. landline and cell phone combinations), and county of residence.

Limitations of Data Use:

During data analysis, criteria were applied to suppress rates based on too few surveys to be reliable and to identify rates that are highly variable. Rates in which less than 10 respondents were in the numerator or less than 50 respondents were in the denominator were considered unreliable and suppressed from reporting. Rates considered to have high variability due to having confidence limits greater than ±10% are noted.

Improve Health Status and Reduce Health Disparities

Percentage of adults who did not receive medical care because of cost*



	Su	ıffolk Cour	nty	Long Island		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	118,809	10.3	(7.3-14.4)	277,850	12.7	(9.9-16.0)
18-24		#			#	
25-34 35-44	25,798 40,268	15.6 [^] 20.9 [^]	(8.5-26.7) (10.9-36.4)	87,958 65,885	28.0 [^] 18.7	(18.3-40.2) (11.6-28.7)
45-64	30,834	7.4	(4.5-11.8)	72,916	9.3	(6.0-14.1)
65+ Race		#		18,726	4.4	(2.0-9.0)
White, NH Black, NH	68,786	8.0 #	(4.9-12.7)	181,555	11.6 #	(8.4-15.7)
Hispanic Other, NH	43,762	22.3 [^]	(13.0-35.5)	80,680	24.3 [^] #	(16.2-34.9)
Sex						
male female	51,737 67,072	9.3 11.3	(5.3-15.5) (7.3-17.2)	132,319 145,531	12.5 12.8	(8.5-18.2) (9.4-17.1)
Age-adjusted ^{&}		11.5	(8.1-16.2)		14.3	(11.3-18.1)

^{*} Among people needing to see a doctor in the past 12 months


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who have a regular health care provider



	Suffolk County			Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	976,943	85.6	(81.0-89.2)	1,868,868	85.7	(82.4-88.5)
Age						
18-24		#		176,765	71.8	(56.3-83.4)
25-34	136,263	82.1^	(70.9-89.7)	229,636	74.4^	(63.9-82.7)
35-44	167,456	86.1	(76.8-92.1)	307,841	86.4	(78.1-91.9)
45-64	369,464	88.4	(79.3-93.8)	689,578	88.0	(81.6-92.3)
65+	204,114	94.4	(88.0-97.5)	408,859	95.2	(91.8-97.3)
Race						
White, NH	752,239	88.8	(83.6-92.4)	1,371,971	88.0	(84.1-91.0)
Black, NH		#		122,091	100.0	-
Hispanic	132,982	67.2	(52.8-79.0)	222,406	66.5	(55.4-76.0)
Other, NH		#		152,400	92.5	(84.7-96.5)
Sex						
male	431,081	78.5	(71.0-84.5)	830,712	79.8	(74.3-84.4)
female	545,862	92.2	(86.0-95.8)	1,038,156	91.1	(86.9-94.1)
Age-adjusted ^{&}		84.5	(79.8-88.2)		84.3	(80.7-87.3)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who had a dentist visit within the past year



	Su	ıffolk Coun	nty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	729,548	69.6	(63.4-75.1)	1,460,683	73.4	(69.3-77.2)
Age						
18-24		#		177,285	79.0^	(61.5-89.9)
25-34	78,592	60.9^	(43.7-75.7)	155,244	58.8^	(46.5-70.1)
35-44	124,144	66.9	(49.6-80.6)	255,037	77.1^	(65.2-85.8)
45-64	266,979	69.4	(59.5-77.8)	534,511	73.0	(65.9-79.1)
65+	149,423	74.9	(65.3-82.6)	304,586	78.6	(72.4-83.6)
Race						
White, NH	565,201	71.6	(64.9-77.5)	1,089,568	75.4	(70.8-79.5)
Black, NH		#		72,038	70.9^	(53.1-83.9)
Hispanic	110,529	62.9^	(46.8-76.6)	186,562	65.5	(53.1-76.0)
Other, NH		#			#	
Sex						
male	344,680	70.0	(62.1-76.9)	659,509	71.0	(64.9-76.4)
female	384,868	69.1	(59.7-77.2)	801,174	75.6	(69.7-80.7)
Age-adjusted ^{&}		68.7	(62.2-74.6)		73.0	(68.6-77.0)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults living with a disability*



	Suffolk County			Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	244,363	21.9	(17.4-27.1)	420,175	19.6	(16.6-23.1)
Age						
18-24		#			#	
25-34		#		60,114	19.6^	(10.3-33.9)
35-44	33,030	17.4	(8.6-32.1)	49,244	14.3	(8.4-23.3)
45-64	89,037	22.5	(15.8-31.1)	136,933	18.0	(13.5-23.6)
65+	75,298	35.6	(26.8-45.5)	148,319	35.2	(29.0-42.0)
Race						
White, NH	215,946	26.1	(20.5-32.6)	369,645	24.1	(20.2-28.6)
Black, NH		#		12,278	10.5^	(4.7-21.6)
Hispanic	18,874	9.7	(4.7-19.0)	23,634	7.3	(4.0-13.1)
Other, NH		#			#	
Sex						
male	126,304	23.5	(16.8-32.0)	195,635	19.0	(14.4-24.7)
female	118,059	20.3	(14.9-27.2)	224,540	20.2	(16.3-24.7)
Age-adjusted ^{&}		21.2	(16.5-26.9)		19.0	(15.8-22.8)

^{*} Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years with healthcare coverage



	Su	ıffolk Coun	nty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	773,329	86.0	(80.8-90.0)	1,428,096	84.4	(80.3-87.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	606,627	94.8	(91.5-96.8)	1,049,985	91.4	(87.0-94.5)
Black, NH		#		93,340	88.0^	(77.7-94.0)
Hispanic	83,915	49.2	(34.4-64.1)	150,559	52.5	(40.8-63.8)
Other, NH		#			#	
Sex						
male	379,386	84.9	(77.7-90.1)	664,023	80.8	(74.0-86.1)
female	393,943	87.1	(78.6-92.5)	764,073	87.8	(82.5-91.6)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults aged 18-64 years who saw a doctor for a routine checkup within the last year



	Su	ıffolk Coun	ty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	619,287	68.7	(61.7-74.9)	1,197,352	70.7	(65.8-75.1)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	445,913	69.4	(61.0-76.7)	818,488	71.2	(65.3-76.6)
Black, NH		#		94,927	89.5	(75.6-96.0)
Hispanic	96,451	56.5	(41.0-70.8)	170,952	59.6^	(47.5-70.6)
Other, NH		#			#	
Sex						
male	311,577	68.3	(58.8-76.5)	569,063	68.2	(61.0-74.6)
female	307,710	69.0	(58.6-77.8)	628,289	73.1	(66.3-79.1)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing housing insecurity in the past 12 months*



	Suffolk County			Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	395,549	40.3	(34.6-46.2)	757,862	40.2	(36.0-44.6)
Age						
18-24		#			#	
25-34	68,697	46.7	(31.6-62.4)	138,830	54.1	(41.7-66.1)
35-44	102,255	55.3	(39.8-69.8)	173,289	53.0^	(42.3-63.5)
45-64	167,219	44.0	(35.0-53.4)	300,115	40.8	(34.0-47.9)
65+	37,467	20.1	(13.4-29.1)	84,370	22.9	(17.4-29.6)
Race						
White, NH	277,222	36.4	(30.3-43.1)	509,658	37.0	(32.2-42.0)
Black, NH		#		52,726	54.6	(38.4-69.9)
Hispanic	80,643	54.7	(39.6-69.0)	147,713	56.3	(44.6-67.3)
Other, NH		#			#	
Sex						
male	169,986	37.5	(29.8-45.8)	314,081	36.0	(29.8-42.7)
female	225,563	42.7	(34.6-51.1)	443,781	43.9	(38.2-49.7)
Age-adjusted ^{&}		40.8	(34.7-47.3)		41.6	(37.0-46.3)

^{*} Worried or stressed about having enough money to pay for rent or mortgage.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults experiencing food insecurity in the past 12 months*



	Suffolk County			Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	261,029	24.2	(19.4-29.6)	482,775	23.5	(20.0-27.3)
Age						
18-24		#		47,487	20.5	(9.7-38.3)
25-34	60,666	41.4	(26.7-57.8)	121,802	42.5	(31.4-54.4)
35-44	66,707	34.7	(22.4-49.5)	100,396	29.6^	(21.1-39.6)
45-64	88,688	22.8	(16.1-31.3)	165,566	22.2	(16.8-28.7)
65+	21,102	10.5	(5.9-17.9)	35,512	8.8	(5.9-13.2)
Race						
White, NH	181,555	22.4	(17.0-28.8)	314,730	21.2	(17.2-25.8)
Black, NH		#		38,312	36.9^	(22.4-54.1)
Hispanic	66,096	36.0^	(23.8-50.3)	110,837	36.1^	(26.4-47.0)
Other, NH		#			#	
Sex						
male	105,614	21.0	(15.3-28.2)	187,861	19.5	(15.0-25.1)
female	155,414	26.9	(20.0-35.2)	294,913	26.9	(22.0-32.5)
Age-adjusted ^{&}		26.0	(21.0-31.8)		25.0	(21.3-29.1)

^{*} Worried or stressed about having enough money to buy nutritious meals.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults with poor self-reported health



	Su	ıffolk Coun	ty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	67,597	5.9	(3.7-9.3)	101,062	4.6	(3.2-6.6)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	18,683	4.6	(2.2-9.3)	28,424	3.7	(2.1-6.5)
65+	32,558	15.1	(7.3-28.6)	51,349	12.0	(7.0-19.9)
Race						
White, NH	46,692	5.5	(3.4-8.8)	70,788	4.6	(3.2-6.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	48,109	8.8	(4.9-15.2)	58,315	5.6	(3.4-9.1)
female	19,488	3.3	(1.6-6.5)	42,746	3.8	(2.3-6.1)
Age-adjusted ^{&}		5.2	(3.3-8.1)		4.0	(2.8-5.7)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Improve Health Status and Reduce Health Disparities

Percentage of adults who report 14 or more days of poor physical health*



	Suffolk County			Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	181,155	16.4	(12.2-21.7)	291,712	13.7	(11.0-17.1)
Age						
18-24		#			#	
25-34		#		41,757	14.1	(6.5-27.9)
35-44		#		35,293	10.0	(5.2-18.4)
45-64	76,494	19.0	(12.3-28.1)	111,200	14.6	(10.3-20.2)
65+	42,959	19.9^	(11.6-32.0)	85,172	20.3	(14.5-27.8)
Race						
White, NH	129,041	15.7	(11.2-21.7)	225,642	14.9	(11.6-18.9)
Black, NH		#			#	
Hispanic	35,012	18.5	(8.5-35.5)	37,400	11.7	(5.6-23.0)
Other, NH		#			#	
Sex						
male	103,242	19.0	(12.4-28.1)	152,559	14.8	(10.4-20.7)
female	77,913	13.9	(9.4-19.9)	139,153	12.8	(9.7-16.6)
Age-adjusted ^{&}		15.8	(11.5-21.3)		13.3	(10.4-16.9)

^{*} Out of the past 30 days.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Suffolk Prevent Chronic Diseases

Percentage of adults who are obese*



	Su	uffolk Cour	nty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	311,133	29.1	(23.8-35.1)	502,810	24.7	(21.1-28.6)
Age						
18-24		#		67,744	26.9^	(14.1-45.3)
25-34	51,161	33.4	(19.7-50.5)	73,767	25.2	(16.5-36.3)
35-44	42,881	24.3	(14.9-37.2)	84,756	26.6	(18.8-36.2)
45-64	116,522	30.5	(22.0-40.5)	171,592	24.3	(18.6-30.9)
65+	40,377	19.8	(13.0-28.9)	90,957	21.8	(16.4-28.5)
Race						
White, NH	227,002	28.4	(22.3-35.3)	358,037	24.4	(20.3-29.1)
Black, NH		#		47,582	40.3	(26.5-56.0)
Hispanic	60,341	34.0^	(21.0-49.9)	80,384	27.6	(18.4-39.2)
Other, NH		#			#	
Sex						
male	187,966	34.4	(26.8-42.9)	295,305	28.9	(23.5-35.0)
female	123,167	23.6	(16.6-32.3)	207,505	20.4	(16.0-25.7)
Age-adjusted ^{&}		28.4	(23.0-34.4)		24.9	(21.1-29.0)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with an annual household income less than \$25,000 who are obese*



	Su	ıffolk Coun	ity	Long Island		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	48,724	26.8^	(17.0-39.7)	85,661	25.8	(18.3-35.0)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64		#			#	
65+		#		15,264	16.7	(7.2-34.1)
Race						
White, NH	19,309	20.3	(11.0-34.4)	38,362	22.4	(14.7-32.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		43,366	27.6	(17.4-40.7)
female	22,630	24.1	(10.7-45.6)	42,295	24.1	(14.1-38.1)
Age-adjusted ^{&}		27.1	(17.6-39.3)		28.2	(19.9-38.2)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults living with a disability who are obese*



	Su	ıffolk Coun	ty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	68,845	30.3^	(20.6-42.0)	116,644	29.3	(22.2-37.6)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64		#		46,174	34.6^	(22.0-49.9)
65+	17,577	25.3	(14.5-40.3)	46,628	32.7	(22.9-44.4)
Race						
White, NH	54,132	26.1	(16.6-38.6)	91,531	25.6	(18.6-34.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	35,493	30.2	(17.5-46.9)	50,847	27.2	(17.7-39.4)
female	33,352	30.3^	(17.3-47.5)	65,796	31.1	(21.5-42.6)
Age-adjusted ^{&}		25.9^	(17.3-36.8)		24.7	(18.0-32.8)

^{*} Obesity defined as a Body Mass Index (BMI) >=30. BMI is calculated based on weight and height. Limited activities (physical, mental, or emotional problems); need of special equipment (e.g. cane, wheel chair).


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults overweight or obese*



	Su	ıffolk Cour	nty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	686,150	64.2	(58.1-69.9)	1,225,597	60.1	(55.7-64.3)
Age						
18-24		#		93,102	37.0^	(22.7-53.9)
25-34	99,177	64.7	(45.5-80.0)	166,696	56.8^	(44.0-68.9)
35-44	120,097	68.2	(51.2-81.4)	217,298	68.2^	(56.9-77.7)
45-64	262,777	68.7	(59.8-76.4)	469,777	66.4	(59.6-72.5)
65+	125,908	61.6	(50.6-71.5)	258,949	62.2	(55.1-68.8)
Race						
White, NH	495,898	62.0	(55.2-68.3)	867,655	59.2	(54.3-64.0)
Black, NH		#		91,366	77.5^	(60.9-88.3)
Hispanic	131,612	74.1	(57.3-85.9)	189,986	65.3^	(52.9-75.9)
Other, NH		#			#	
Sex						
male	421,331	77.1	(68.2-84.0)	720,149	70.4	(63.8-76.3)
female	264,819	50.7	(42.1-59.3)	505,449	49.7	(43.9-55.6)
Age-adjusted ^{&}		63.8	(57.3-69.8)		60.5	(56.0-64.9)

^{*} Defined as a Body Mass Index (BMI) >=25. BMI is calculated based on weight and height.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who participated in leisure time physical activity in the past 30 days*



	Su	uffolk Coun	ity	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	795,647	72.2	(66.9-77.0)	1,511,528	72.1	(68.2-75.7)
Age						
18-24		#		215,322	92.9^	(81.4-97.5)
25-34	102,878	69.7	(54.9-81.2)	187,381	65.1	(52.7-75.7)
35-44	138,526	72.1	(58.1-82.8)	243,174	69.6^	(59.6-78.1)
45-64	289,073	72.9	(63.5-80.6)	559,974	73.8	(67.0-79.6)
65+	136,997	64.1	(53.9-73.1)	270,352	64.5	(57.3-71.0)
Race						
White, NH	601,003	73.7	(67.7-78.9)	1,100,705	73.8	(69.3-77.8)
Black, NH		#		85,347	76.3^	(61.7-86.5)
Hispanic	117,786	60.7	(46.3-73.5)	188,457	57.8	(46.6-68.3)
Other, NH		#			#	
Sex						
male	384,777	73.5	(65.8-80.0)	695,660	70.4	(64.1-75.9)
female	410,870	71.0	(63.5-77.5)	815,868	73.6	(68.6-78.0)
Age-adjusted ^{&}		73.0	(67.7-77.7)		72.2	(68.2-75.8)

^{*} Any physical activities or exercises such as running or walking


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume one or more sugary drinks daily*



	Su	uffolk Cour	nty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	233,591	22.0	(17.4-27.4)	448,821	22.2	(18.6-26.2)
Age 18-24		#		72,355	31.6^	(18.7-48.1)
25-34	39,623	28.7	(17.8-42.8)	92,168	33.3	(22.9-45.7)
35-44	91,887	48.6	(34.1-63.4)	139,602	40.7	(30.6-51.7)
45-64	54,382	14.1	(8.2-23.2)	89,477	12.2	(8.2-17.9)
65+	16,601	8.2	(4.5-14.5)	41,851	10.6	(7.2-15.5)
Race						
White, NH	148,049	18.6	(13.9-24.3)	287,431	19.7	(16.0-24.1)
Black, NH		#		25,797	25.0^	(12.7-43.1)
Hispanic	66,516	36.6	(24.1-51.3)	100,972	33.1^	(23.4-44.4)
Other, NH		#			#	
Sex						
male	152,637	30.8	(23.7-39.0)	279,956	30.0	(24.2-36.5)
female	80,954	14.2	(8.9-22.0)	168,865	15.5	(11.6-20.4)
Age-adjusted ^{&}		24.3	(19.6-29.7)		24.5	(20.7-28.8)

^{*} Sugary drinks include regular soda, and sugar-sweetened drinks.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who consume fast-food three or more times per week



	Su	ıffolk Coun	ty	Long Island		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	80,724	7.6	(5.0-11.6)	143,752	7.1	(5.2-9.7)
Age						
18-24		#		29,879	13.0^	(6.7-23.8)
25-34		#		39,257	14.2	(7.0-26.7)
35-44		#		23,640	6.9	(3.2-14.1)
45-64	34,173	8.9	(4.5-16.9)	41,108	5.6	(3.1-10.0)
65+		#			#	
Race						
White, NH	55,013	6.9	(4.2-11.3)	81,206	5.6	(3.8-8.1)
Black, NH		#			#	
Hispanic		#		36,097	11.8^	(5.4-23.7)
Other, NH		#			#	
Sex						
male	65,626	13.3	(8.5-20.2)	117,141	12.5	(8.9-17.4)
female		#		26,611	2.5	(1.1-5.2)
Age-adjusted ^{&}		7.6	(4.8-11.8)		7.8	(5.6-10.7)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician diagnosed diabetes*



	Su	ıffolk Coun	ty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	80,678	7.0	(4.8-10.1)	174,463	7.9	(5.8-10.7)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	47,747	11.4	(6.7-18.7)	89,759	11.4	(6.9-18.4)
65+	28,809	13.3	(8.0-21.3)	76,689	17.8	(12.8-24.2)
Race						
White, NH	74,353	8.6	(5.8-12.6)	119,881	7.6	(5.7-10.2)
Black, NH		#		16,308	13.4^	(7.0-24.1)
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	49,015	8.7	(5.2-14.2)	105,861	10.0	(6.4-15.4)
female	31,663	5.3	(3.1-9.0)	68,602	6.0	(4.2-8.5)
Age-adjusted ^{&}		5.7	(3.9-8.1)		6.6	(4.9-8.9)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who are current smokers



	Su	uffolk Cour	nty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	160,678	14.4	(10.8-18.8)	288,798	13.6	(10.7-17.1)
Age						
18-24		#		54,787	22.2	(10.3-41.5)
25-34	30,867	18.8^	(10.5-31.2)	58,388	19.6^	(11.4-31.5)
35-44	35,576	18.8^	(10.5-31.3)	47,383	13.6	(8.4-21.4)
45-64	56,509	14.1	(9.3-20.9)	93,027	12.2	(8.4-17.4)
65+	14,629	6.8	(3.6-12.7)	24,457	5.8	(3.6-9.4)
Race						
White, NH	126,580	15.3	(11.0-20.9)	228,884	15.1	(11.4-19.6)
Black, NH		#			#	
Hispanic	25,905	13.3	(6.9-24.0)	34,669	10.5	(6.1-17.5)
Other, NH		#			#	
Sex						
male	81,719	15.2	(10.6-21.3)	168,036	16.5	(11.9-22.5)
female	78,960	13.6	(8.7-20.7)	120,763	10.8	(7.6-15.3)
Age-adjusted ^{&}		14.9	(11.1-19.8)		14.1	(11.0-17.8)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with annual household income less than \$25,000 who are current smokers



	Su	ıffolk Cour	nty	Long Island		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	32,224	16.3	(10.0-25.2)	67,235	18.3	(11.6-27.7)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64		#			#	
65+		#			#	
Race						
White, NH	17,891	18.0^	(9.5-31.5)	39,688	21.0^	(11.4-35.5)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		45,059	25.7	(14.0-42.3)
female		#		22,176	11.5	(6.6-19.3)
Age-adjusted ^{&}		18.4	(11.5-28.2)		18.1	(11.3-27.8)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 18-24 years who are current smokers



	S	Suffolk County			Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total		#		54,787	22.2^	(10.3-41.5)	
Age⁺							
18-24							
25-34							
35-44							
45-64							
65+							
Race							
White, NH		#			#		
Black, NH		#			#		
Hispanic		#			#		
Other, NH		#			#		
Sex							
male		#			#		
female		#			#		
Age-adjusted ^{+,&}							

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years receiving breast cancer screening based on recent guidelines*



	Su	uffolk Coun	ity	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	164,279	77.4^	(66.8-85.4)	330,752	78.0	(70.6-83.9)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	154,891	78.5	(67.6-86.5)	282,359	80.0	(72.8-85.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	164,279	77.4	(66.8-85.4)	330,752	78.0	(70.6-83.9)
Age-adjusted ^{+,&}						

^{*} Mammogram within past 2 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 50-74 years with annual household income of less than \$25,000 receiving breast cancer screening based on recent guidelines*



	Suffolk County			Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#			#	
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#			#	
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#			#	
Age-adjusted+,&						

^{*} Mammogram within past 2 years.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of women aged 21-65 years receiving cervical cancer screening based on recent guidelines*



	Su	ıffolk Coun	ity	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	368,554	86.6	(77.1-92.5)	700,007	87.3	(81.9-91.3)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	293,346	88.2	(77.2-94.3)	508,366	87.7	(81.0-92.3)
Black, NH		#			#	
Hispanic		#		81,367	81.5^	(60.2-92.8)
Other, NH		#			#	
Sex						
male		#			#	
female	368,554	86.6	(77.1-92.5)	700,007	87.3	(81.9-91.3)
Age-adjusted ^{+,&}						

^{*} Pap test within past 3 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of women aged 21-65 years with annual household income of less than \$25,000 receiving cervical cancer screening based on recent guidelines*



	Suffolk County			Long Island		
	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total		#		77,186	73.1^	(54.2-86.2)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#			#	
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		77,186	73.1	(54.2-86.2)
Age-adjusted+,&						

^{*} Pap test within past 3 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years receiving colorectal cancer screening based on recent guidelines*



	Suffolk County			Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	280,347	73.7	(65.6-80.5)	553,897	72.1	(65.7-77.8)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	235,514	73.5	(64.4-81.0)	424,223	70.0	(62.7-76.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	129,579	79.2^	(68.4-87.0)	248,863	73.6	(63.0-82.1)
female	150,768	69.6	(57.9-79.3)	305,034	71.0	(62.7-78.0)
Age-adjusted+,&						

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults aged 50-75 years with annual household income less than \$25,000 receiving colorectal cancer screening based on recent guidelines*



	Suffolk County			Long Island			
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI	
Total Age ⁺ 18-24 25-34 35-44		#		66,016	62.3^	(43.0-78.3)	
45-64 65+ Race							
White, NH Black, NH Hispanic Other, NH		# # #			# # #		
Sex male female Age-adjusted+,&		# #			#		

^{*} Blood stool test within 1 year, or sigmoidoscopy within 5 years with blood stool test within 3 years, or colonoscopy within 10 years.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who had a test for high blood sugar or diabetes within the past three years



	Su	uffolk Cour	nty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	607,114	60.9	(54.8-66.8)	1,148,249	59.8	(55.3-64.1)
Age						
18-24		#		66,230	29.2	(16.4-46.4)
25-34	89,545	58.1	(41.8-72.8)	144,614	50.2	(38.0-62.3)
35-44	129,992	67.3^	(52.9-79.0)	202,234	57.6	(47.2-67.4)
45-64	214,801	64.0	(53.5-73.3)	436,029	66.6	(59.4-73.1)
65+	133,579	71.9^	(61.3-80.6)	257,570	73.7	(66.7-79.7)
Race						
White, NH	475,361	66.8	(59.9-72.9)	869,483	64.2	(59.1-68.9)
Black, NH		#		75,839	73.3^	(55.6-85.8)
Hispanic	71,031	36.3	(23.8-51.0)	127,243	39.9^	(29.7-51.1)
Other, NH		#			#	
Sex						
male	281,571	60.6	(51.3-69.1)	525,164	58.9	(52.0-65.5)
female	325,543	61.3	(52.9-69.0)	623,085	60.5	(54.6-66.1)
Age-adjusted ^{&}		59.9	(53.8-65.7)		58.0	(53.5-62.4)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed prediabetes




	Sı	ıffolk Coun	ty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	67,735	6.4	(4.2-9.8)	115,597	5.8	(4.2-8.0)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	26,763	7.5	(3.4-15.6)	56,667	8.5	(5.1-13.8)
65+	16,885	9.4	(5.1-16.6)	24,058	7.1	(4.3-11.3)
Race						
White, NH	48,246	6.3	(3.9-9.9)	85,731	6.0	(4.2-8.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	35,959	7.2	(3.9-12.8)	60,503	6.5	(4.1-10.0)
female	31,776	5.8	(3.1-10.5)	55,094	5.3	(3.3-8.2)
Age-adjusted ^{&}		5.8	(3.7-8.8)		5.4	(3.9-7.4)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with physician-diagnosed high blood pressure



	Sı	ıffolk Coun	ity	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	312,886	27.1	(22.8-32.0)	605,548	27.6	(24.3-31.1)
Age						
18-24		#			#	
25-34	33,838	20.4	(10.1-36.8)	40,643	12.9	(7.0-22.8)
35-44		#		45,668	12.9	(7.5-21.3)
45-64	120,007	28.7	(21.4-37.4)	243,541	31.0	(25.1-37.6)
65+	123,009	56.9	(46.4-66.9)	250,102	58.3	(51.2-64.9)
Race						
White, NH	245,177	28.5	(23.5-34.2)	472,434	30.1	(26.2-34.2)
Black, NH		#		41,318	33.8	(21.4-49.0)
Hispanic	36,063	18.2	(10.4-30.0)	56,595	17.0	(11.1-25.2)
Other, NH		#			#	
Sex						
male	163,242	29.2	(22.5-36.9)	298,019	28.2	(23.1-33.8)
female	149,644	25.2	(19.8-31.6)	307,529	27.0	(22.9-31.5)
Age-adjusted ^{&}		24.9	(20.8-29.6)		24.9	(22.0-28.1)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with diagnosed high blood pressure taking high blood pressure medication



	Sı	uffolk Cour	ity	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	227,497	73.8	(64.0-81.7)	435,515	72.8	(65.4-79.2)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64	91,170	79.0^	(63.7-89.0)	168,181	70.4^	(57.0-81.0)
65+	112,558	91.5	(83.8-95.7)	231,957	93.8	(89.4-96.4)
Race						
White, NH	174,312	72.5	(60.8-81.7)	341,523	73.4	(64.8-80.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	116,865	71.6	(56.5-83.0)	209,428	70.3^	(58.3-80.0)
female	110,632	76.3^	(63.2-85.7)	226,087	75.3	(66.1-82.7)
Age-adjusted ^{&}		50.3	(40.3-60.2)		48.4	(39.6-57.2)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults with current asthma*



	Suffolk County			Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	114,246	10.0	(6.9-14.2)	199,687	9.1	(6.9-12.0)
Age						
18-24		#			#	
25-34		#		57,245	18.2^	(9.2-32.9)
35-44		#		26,808	7.6	(3.8-14.5)
45-64	50,515	12.2	(7.5-19.3)	64,541	8.3	(5.5-12.4)
65+	12,728	6.0	(3.4-10.3)	32,787	7.7	(5.2-11.2)
Race						
White, NH	86,464	10.2	(6.5-15.5)	157,457	10.1	(7.3-13.8)
Black, NH		#		17,693	14.5^	(7.4-26.4)
Hispanic		#		19,790	5.9	(2.7-12.4)
Other, NH		#			#	
Sex						
male	50,484	9.0	(4.7-16.6)	88,854	8.4	(5.1-13.6)
female	63,762	10.9	(7.1-16.3)	110,833	9.8	(7.3-13.1)
Age-adjusted ^{&}		10.3	(7.0-14.9)		9.7	(7.2-12.8)

^{*} Physician diagnosed asthma.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

 $^{^{\}updayscript{A}}$ Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percent of adults with cholesterol checked*



	Su	ıffolk Cour	nty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	972,070	87.7	(83.0-91.3)	1,871,884	87.4	(83.9-90.3)
18-24		#		120,532	52.7	(36.5-68.4)
25-34 35-44	127,045 165,543	82.3 [^] 86.1 [^]	(70.4-90.1) (72.5-93.6)	240,716	81.0 [^] 90.2	(70.9-88.2) (82.2-94.8)
45-64	402,900	96.6	(90.5-98.8)	318,533 740,659	94.5	(89.0-97.3)
65+ Race	202,260	94.7	(89.0-97.6)	396,796	93.9	(89.7-96.4)
White, NH	748,611	91.8	(87.0-94.9)	1,380,554	90.8	(87.0-93.6)
Black, NH Hispanic	131,121	# 66.3^	(50.7-78.9)	116,258 229,327	98.3 68.7 [^]	(91.5-99.7) (57.2-78.3)
Other, NH Sex		#		145,745	85.9^	(64.4-95.3)
male	473,649	85.5	(78.1-90.7)	867,052	82.8	(76.6-87.6)
female	498,420	89.9	(83.3-94.1)	1,004,832	91.8	(88.1-94.5)
Age-adjusted ^{&}		85.3	(80.6-89.0)		85.6	(82.0-88.5)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults 18 years and older with elevated cholesterol*



	Suffolk County			Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	375,671	38.9	(33.3-44.8)	702,373	37.7	(33.7-41.9)
Age						
18-24		#			#	
25-34		#		47,988	19.9^	(11.7-32.0)
35-44	48,894	29.5	(17.7-45.0)	87,691	27.5	(18.6-38.6)
45-64	180,327	45.4	(36.2-54.9)	316,860	43.1	(36.3-50.2)
65+	110,072	54.6	(43.9-65.0)	230,846	58.8	(51.5-65.8)
Race						
White, NH	299,400	40.3	(34.1-46.9)	551,792	40.3	(35.8-44.9)
Black, NH		#		26,853	23.1^	(12.3-39.2)
Hispanic	39,078	29.8^	(16.7-47.4)	72,262	31.5	(20.7-44.7)
Other, NH		#			#	
Sex						
male	217,384	46.1	(37.3-55.1)	358,481	41.6	(35.3-48.2)
female	158,287	32.1	(25.3-39.7)	343,892	34.4	(29.3-39.8)
Age-adjusted ^{&}		34.2	(29.0-39.8)		33.7	(29.9-37.7)

^{*} As diagnosed by a health professional.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent Chronic Diseases

Percentage of adults who have taken a course or class to learn how to manage their chronic disease or condition*



	Su	ıffolk Coun	ty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	23,711	4.5	(2.6-7.8)	57,215	5.8	(3.9-8.4)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64		#		22,890	5.6	(3.0-10.4)
65+	13,526	8.4	(4.5-14.9)	23,490	7.5	(4.6-12.0)
Race						
White, NH	21,506	5.2	(2.9-9.2)	40,684	5.4	(3.5-8.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#		30,763	6.9	(4.0-11.6)
female	11,248	3.9	(1.9-7.9)	26,452	4.9	(2.9-8.3)
Age-adjusted ^{&}		3.3	(1.8-5.9)		5.0	(2.9-8.2)


^{*} Courses for high blood pressure, arthritis, or diabetes.

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

Prevent Chronic Diseases

Percentage of adults with arthritis*



	Sı	ıffolk Coun	nty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	306,106	26.6	(22.1-31.8)	521,996	23.8	(20.6-27.2)
Age						
18-24		#			#	
25-34		#			#	
35-44		#		51,802	14.5	(8.6-23.6)
45-64	136,399	32.6	(24.5-41.9)	196,693	25.1	(19.8-31.2)
65+	106,486	49.2	(39.3-59.2)	213,868	49.8	(43.0-56.7)
Race						
White, NH	244,156	28.5	(23.2-34.5)	419,861	26.8	(22.9-31.0)
Black, NH		#		27,204	22.3^	(12.3-37.0)
Hispanic	38,690	19.6^	(10.3-33.9)	50,350	15.1	(8.9-24.4)
Other, NH		#			#	
Sex						
male	117,908	21.0	(15.3-28.3)	198,662	18.8	(14.5-24.0)
female	188,198	32.0	(25.2-39.5)	323,335	28.5	(24.0-33.3)
Age-adjusted ^{&}		23.8	(19.6-28.5)		21.5	(18.5-25.0)

^{*} Includes rheumatoid arthritis, gout, lupus, or fibromyalgia.


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Healthy and Safe Environment

Percentage of adults who consider their neighborhood suitable for walking and physical activity



	Su	uffolk Cour	nty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	985,187	91.5	(86.9-94.6)	1,905,059	92.5	(89.0-94.9)
Age						
18-24		#		191,559	82.6^	(61.0-93.6)
25-34	130,899	88.6^	(77.8-94.5)	265,090	92.1	(85.9-95.7)
35-44	176,089	91.7	(82.5-96.2)	323,401	92.9	(86.7-96.4)
45-64	366,239	95.4	(90.3-97.9)	690,386	93.1	(85.5-96.9)
65+	191,760	95.2	(88.9-98.0)	387,564	97.0	(93.7-98.5)
Race						
White, NH	738,486	91.3	(85.3-95.0)	1,388,050	94.0	(90.6-96.2)
Black, NH		#		99,539	95.7^	(85.5-98.8)
Hispanic	162,968	89.6	(80.3-94.8)	285,836	91.5	(85.4-95.3)
Other, NH		#			#	
Sex						
male	471,927	93.7	(89.2-96.4)	891,357	92.8	(86.3-96.3)
female	513,260	89.6	(81.5-94.4)	1,013,702	92.2	(87.7-95.1)
Age-adjusted ^{&}		91.2	(86.7-94.3)		92.2	(88.7-94.6)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Percentage of adults aged 65+ years with at least one fall in the past 12 months



	Su	ıffolk Coun	ity	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	58,585	29.1	(21.4-38.2)	129,598	32.0	(26.2-38.4)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	56,660	30.7	(22.5-40.3)	121,853	34.1	(27.9-40.9)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	27,549	34.0	(21.0-50.0)	56,468	31.8	(23.1-41.8)
female	31,035	25.8	(17.1-36.9)	73,130	32.2	(24.8-40.7)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote a Health and Safe Environment

Among adults aged 65+ years with at least one fall in the past 12 months, percent that resulted in injury*



	Su	uffolk Coun	ity	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	17,285	31.3^	(18.0-48.6)	55,674	45.1^	(34.4-56.3)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		54,228	45.8^	(34.7-57.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		30,947	44.4^	(30.6-59.1)
Age-adjusted+,&						

^{*} Falls that limited regular activities or lead to doctor visits.

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 47-68 years reporting ever tested for Hepatitis C (HCV)



	Su	ıffolk Coun	ity	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	141,911	39.9	(31.0-49.5)	219,317	31.9	(25.9-38.7)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	105,928	37.8	(28.3-48.3)	166,182	31.8	(25.3-39.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	85,948	54.2	(40.0-67.6)	127,025	39.9^	(29.7-51.0)
female	55,963	28.4	(18.5-41.0)	92,292	25.1	(18.3-33.3)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 18+ years with flu immunization in the past year*



	Su	ıffolk Coun	nty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	485,348	45.0	(39.4-50.8)	994,729	48.1	(43.9-52.3)
Age						
18-24		#		54,318	23.5	(13.0-38.7)
25-34	29,301	19.8^	(10.9-33.4)	77,682	27.0^	(17.4-39.3)
35-44	70,912	36.9^	(23.3-53.0)	129,510	37.2	(27.5-48.1)
45-64	176,501	45.9	(37.0-55.1)	389,076	52.4	(45.3-59.4)
65+	155,190	76.9	(68.7-83.4)	316,838	78.0	(72.0-83.1)
Race						
White, NH	363,254	44.9	(38.7-51.2)	738,051	49.8	(45.1-54.5)
Black, NH		#		52,486	50.5	(34.8-66.1)
Hispanic	66,029	36.3	(23.0-52.0)	102,848	32.8^	(23.3-43.9)
Other, NH		#			#	
Sex						
male	231,604	45.9	(37.9-54.2)	464,784	48.2	(41.8-54.6)
female	253,744	44.3	(36.5-52.3)	529,945	48.1	(42.5-53.7)
Age-adjusted ^{&}		42.2	(36.7-47.9)		45.1	(40.9-49.3)

^{*} Includes flu shot or flu spray


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with flu immunization in the past year*



	Su	ıffolk Coun	ity	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	155,190	76.9	(68.7-83.4)	316,838	78.0	(72.0-83.1)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	141,623	76.7	(68.1-83.5)	282,266	78.8	(72.8-83.7)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	66,732	82.3	(69.5-90.5)	143,594	80.7	(72.4-87.0)
female	88,458	73.2	(62.2-81.9)	173,244	75.9	(67.2-82.9)
Age-adjusted+,&						

^{*} Includes flu shot or flu spray

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Prevent HIV/STDs, Vaccine Preventable Diseases and Healthcare-Associated Infections

Percentage of adults aged 65+ years with pneumococcal immunization



	Su	ıffolk Coun	ity	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	125,054	64.4	(54.5-73.2)	263,247	68.4	(61.5-74.5)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	122,541	68.1	(58.4-76.4)	246,942	72.6	(66.1-78.2)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male	48,777	62.3	(46.0-76.3)	111,890	66.3	(55.8-75.5)
female	76,277	65.7	(53.2-76.4)	151,357	69.9	(60.7-77.8)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years who had dental visit within the last year



	Su	ıffolk Coun	ity	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	129,005	60.0^	(42.3-75.4)	306,638	72.4^	(60.8-81.6)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		214,913	77.7	(63.6-87.4)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	129,005	60.0	(42.3-75.4)	306,638	72.4	(60.8-81.6)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Women aged 18-44 years who saw a doctor for a routine checkup within the last year



	Su	ıffolk Coun	ity	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	145,571	64.0^	(47.8-77.6)	318,878	69.7	(59.3-78.4)
Age⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		198,090	70.4	(56.8-81.1)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	145,571	64.0^	(47.8-77.6)	318,878	69.7	(59.3-78.4)
Age-adjusted ^{+,&}						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-64 years with health care coverage



	Su	ıffolk Coun	nty	Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	393,943	87.1	(78.6-92.5)	764,073	87.8	(82.5-91.6)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH	322,241	95.2	(90.9-97.5)	580,102	93.8	(90.0-96.3)
Black, NH		#			#	
Hispanic		#		60,883	50.9^	(33.5-68.1)
Other, NH		#			#	
Sex						
male		#			#	
female	393,943	87.1	(78.6-92.5)	764,073	87.8	(82.5-91.6)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Healthy Women, Infants, and Children

Percentage of women aged 18-44 years whose health care provider discussed planning a healthy pregnancy



	Suffolk County			Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	79,059	37.1	(24.1-52.3)	176,841	40.7	(31.5-50.6)
Age ⁺						
18-24						
25-34						
35-44						
45-64						
65+						
Race						
White, NH		#		110,733	39.7	(28.4-52.3)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female	79,059	37.1	(24.1-52.3)	176,841	40.7	(31.5-50.6)
Age-adjusted+,&						

[&]amp; Percent is age-adjusted to the 2000 United States Population.


⁺ Age-adjusted and age specific percent not generated for health indicators with age range limits.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adults with poor mental health for 14 or more days in the last month



	Suffolk County			Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	150,747	13.5	(9.9-18.0)	229,662	10.7	(8.3-13.7)
18-24		#			#	
25-34 35-44	30,930	19.7 [^] #	(9.6-36.1)	39,243 37,318	12.9 10.5	(7.1-22.4) (5.6-18.9)
45-64	73,895	18.4	(11.9-27.5)	103,258	13.6	(9.5-19.2)
65+ Race		#		19,230	4.7	(2.8-7.8)
White, NH Black, NH	109,045	13.1 #	(9.1-18.6)	178,857	11.7 #	(8.8-15.5)
Hispanic Other, NH	25,386	13.0 [^]	(5.7-26.9)	32,206	10.0 #	(4.9-19.3)
Sex						
male female	79,385 71,361	14.6 12.4	(9.4-21.9) (8.0-18.6)	116,859 112,803	11.3 10.2	(7.6-16.5) (7.4-13.9)
Age-adjusted ^{&}		13.7	(10.0-18.4)		11.0	(8.5-14.2)


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of adult binge drinking during the past month*



	Suffolk County			Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total Age	164,054	15.5	(11.6-20.4)	294,118	14.4	(11.5-17.8)
18-24		#		45,787	21.0^	(11.3-35.7)
25-34	49,651	33.7 [^]	(18.1-53.8)	65,696	23.1	(13.7-36.2)
35-44 45-64	45,440 50,617	23.7 [^] 13.3	(14.2-36.8) (8.4-20.4)	55,565 102,983	16.2 13.9	(10.5-24.3) (9.6-19.9)
65+ Race		#		16,312	4.0	(1.8-8.5)
White, NH Black, NH	138,004	17.7 #	(12.9-23.7)	237,416	16.4 #	(12.8-20.7)
Hispanic Other, NH		#		25,464	7.9 #	(3.7-15.9)
Sex						
male female	103,386 60,668	19.8 11.3	(13.4-28.3) (7.4-16.7)	180,268 113,850	18.5 10.6	(13.8-24.4) (7.6-14.6)
Age-adjusted ^{&}		17.1	(12.9-22.4)		15.3	(12.2-19.1)

 $[\]ensuremath{^{*}}$ Men who have five or more drinks , women having four or more drinks on one occasion


[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).

Promote Mental Health and Prevention Substance Abuse

Percentage of cigarette smoking among adults who report poor mental health



	Suffolk County			Long Island		
_	Est. # of Adults	Percent	95% CI	Est. # of Adults	Percent	95% CI
Total	34,359	22.8^	(13.5-35.9)	62,057	27.0^	(16.5-40.9)
Age						
18-24		#			#	
25-34		#			#	
35-44		#			#	
45-64		#			#	
65+		#			#	
Race						
White, NH		#		51,494	28.8^	(16.3-45.6)
Black, NH		#			#	
Hispanic		#			#	
Other, NH		#			#	
Sex						
male		#			#	
female		#		25,485	22.6	(12.6-37.2)
Age-adjusted ^{&}		19.9^	(11.3-32.5)		25.6^	(17.2-36.2)

[&]amp; Percent is age-adjusted to the 2000 United States Population.

[#] Rates with <10 in the numerator or <50 in the denominator are suppressed.

[^] Highly variable rate (confidence interval with a half-width greater than 10).